



NOTES

1. All works are to be carried out in accordance with the Department of Transport Specification for Highway Works 1998 and any amendments thereto and clause numbers on the drawing refer to that document.
2. All kerbs to be 125x255mm PCC Type BN with 125mm kerb face except at pedestrian and vehicular crossing points where upstand to be 0-3mm, and 12mm at edge of vehicular overrun areas. Suitable ramped kerbs to be used to form crossing points except as described in Note 6 below. PCC Type BN quadrants must be used on splitter islands as indicated. Radius to be 450mm or 300mm as detailed in the setting out schedules.
3. Footway edgings to be used as a restraint to tactile paving, 50x150mm PCC Type EF, set flush with footway level.
4. Crossfall over footway width to be 3% towards the carriageway.
5. Construction details are to be Surrey County Councils.
6. All setting out to be based on the coordinates provided to the Contractor and not from dimensions shown on this drawing.

REV	DATE	AMENDMENTS	BY	CHK
 SURREY COUNTY COUNCIL				
 Reigate & Banstead BOROUGH COUNCIL Banstead Horley Redhill Reigate				
 CONWAY great people : great work				
Project				
HORLEY TOWN CENTRE				
Title				
Consort Way East Waitrose Entrance - Phase 3				
Drawn By				
HASWELL ASSOCIATES LTD. 55 Pollards Green Chelmsford Essex CM2 6UH Tel : (01245) 600123 Fax : (01245)600149				
Drawn		Checked		Scale
HAL		JEB		1-100@ A1
Date			Drawing No.	
MAY 2012			0811/500/05	
<small>Haswell Associates Ltd. accept no responsibility for any unauthorised amendments to this drawing. Only figured dimensions are to be worked to. [COPYRIGHT] [RESERVED]</small>				